

Package: KDEmcmc (via r-universe)

May 20, 2026

Type Package

Title Kernel Density Estimation with a Markov Chain Monte Carlo Sample

Version 0.0.2

Date 2025-08-19

Maintainer Juhee Lee <ljh988488@gmail.com>

Description Provides methods for selecting the optimal bandwidth in kernel density estimation for dependent samples, such as those generated by Markov chain Monte Carlo (MCMC). Implements a modified biased cross-validation (mBCV) approach that accounts for sample dependence, improving the accuracy of estimated density functions.

License GPL (>= 3)

Depends R (>= 3.5.0)

Imports Rcpp, methods

LinkingTo Rcpp, RcppArmadillo

LazyData true

RcppModules cKDEmodule

NeedsCompilation yes

RoxygenNote 7.3.2

Author Juhee Lee [aut, cre], Hang J. Kim [aut], Young-Min Kim [aut]

Repository <https://jhlee-projects.r-universe.dev>

Date/Publication 2025-08-19 04:50:02 UTC

RemoteUrl <https://github.com/cran/KDEmcmc>

RemoteRef HEAD

RemoteSha fe4aab57d1b54243e006fed8b863dcf44bc433de

Contents

cKDE	2
mBCV	2
plot.mBCV_obj	3
simMCMC	3

Index	4
--------------	----------

cKDE	<i>Rcpp Implementation of the Library</i>
------	---

Description

[Rcpp_ckDE-class](#)

Value

No return value

mBCV	<i>Calculate Optimal Bandwidth in Kernel Density Estimation</i>
------	---

Description

Calculate the optimal bandwidth estimate for the kernel density estimator with a Markov chain Monte Carlo sample using modified biased cross-validation method.

Usage

```
mBCV(Y_in)

## S3 method for class 'mBCV_obj'
print(x, ...)
```

Arguments

Y_in	data from which the estimate is to be computed.
x	object of class mBCV_obj; result of a call to mBCV().
...	further arguments passed to or from other methods.

Value

mBCV returns a list of the following components:

bw	optimal bandwidth.
IACT	intergrated autocorrelation time.
Y_in	input data.

Examples

```
res = mBCV(simMCMC)
den = density(res$Y_in, bw=res$bw)
hist(res$Y_in, xlim=range(den$x), freq=FALSE,
      main="Histogram and Density Estimates", xlab="")
lines(den$x, den$y, col='blue', lwd=2)
```

```
plot.mBCV_obj          Plot Kernel Density Result from mBCV_obj
```

Description

draw a histogram and density curve of the results.

Usage

```
## S3 method for class 'mBCV_obj'
plot(x, main=NULL, xlab="", ...)
```

Arguments

x	mBCV_obj object.
main	title of plot.
xlab	title for the x axis.
...	arguments to be passed to methods.

Value

No return value. Called for its side effects (generates a plot).

```
simMCMC          Simulated Markov Chain Monte Carlo Sample
```

Description

a simulated data from the Gibbs sampler.

Usage

```
data("simMCMC")
```

Format

a numeric vector of length 1000.

Examples

```
data(simMCMC)
```

Index

* datasets

simMCMC, [3](#)

cKDE, [2](#)

mBCV, [2](#)

plot.mBCV_obj, [3](#)

print.mBCV_obj(mBCV), [2](#)

simMCMC, [3](#)